

# SAFETY DATA SHEET

## 5.56 AEROSOL

Infosafe No.: FMPBL  
ISSUED Date: 12/02/2015  
Issued by: CRC INDUSTRIES (AUST) PTY  
LIMITED

### 1. IDENTIFICATION

**GHS Product Identifier**

5.56 AEROSOL

**Product Code**

5005, 5027, 5028

**Company Name**

CRC INDUSTRIES (AUST) PTY LIMITED (ABN 000 725 833)

**Address**

PO Box 199, 9 Gladstone Rd. Castle Hill  
NSW 2154 Australia

**Telephone/Fax Number**

Tel: (02) 9634 2088

Fax: (02) 9680 4914

**Emergency phone number**

13 11 26 (PIC)

**E-mail Address**

info@crcind.com.au

**Recommended use of the chemical and restrictions on use**

LUBRICANT · PENETRANT

**Other Names**

Name	Product Code
5.56 (AEROSOL)	5005, 5027, 5028
CRC 5.56 (AEROSOL) (FORMERLY)	5005, 5027, 5028
CRC 5.56 AEROSOL	5005, 5027, 5028

**Additional Information**

Website: [www.crcindustries.com.au](http://www.crcindustries.com.au)

### 2. HAZARD IDENTIFICATION

**GHS classification of the substance/mixture**

Aerosols: Category 1

Specific Target Organ Systemic Toxicity (Single Exposure): Category 3

**Signal Word (s)**

DANGER

**Hazard Statement (s)**

H222 Extremely flammable aerosol.

H229 Pressurized container: may burst if heated.

H336 May cause drowsiness or dizziness.

**Pictogram (s)**

Flame, Exclamation mark

**Precautionary statement – Prevention**

P210 Keep away from heat/sparks/open flames/hot surfaces. – No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Pressurized container: Do not pierce or burn, even after use.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P271 Use only outdoors or in a well-ventilated area.

**Precautionary statement – Response**

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P312 Call a POISON CENTER or doctor/physician if you feel unwell.

**Precautionary statement – Storage**

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

**Precautionary statement – Disposal**

P501 Dispose of contents/container in accordance with relevant regulations.

**Other Information**

Classification of the substance or mixture:

CLASSIFIED AS HAZARDOUS ACCORDING TO SAFE WORK AUSTRALIA CRITERIA

Other hazards:

No information provided.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Ingredients**

Name	CAS	Proportion
Distillates (Petroleum), Hydrotreated Light	64742-47-8	>60 %
PETROLEUM GASES, LIQUEFIED	68476-85-7	10-30 %
Mineral oil (solvent refined)	-	10-30 %
CORROSION INHIBITOR(S)	-	<10 %

**Other Information**

Ingredient: DISTILLATES (PETROLEUM), HYDROTREATED LIGHT

EC Number: 265-149-8

Ingredient: PETROLEUM GASES, LIQUEFIED

EC Number: 270-704-2

### 4. FIRST-AID MEASURES

**Inhalation**

If inhaled, remove from contaminated area. To protect rescuer, use a Type A (Organic vapour) respirator or an Air-line respirator (in poorly ventilated areas). Apply artificial respiration if not breathing.

**Ingestion**

For advice, contact a Poison Information Centre on 13 11 26 (Australia Wide) or a doctor (at once). If swallowed, do not induce vomiting. Ingestion is considered unlikely due to product form.

**Skin**

If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. Continue flushing with water until advised to stop by a Poisons Information Centre or a doctor.

**Eye contact**

If in eyes, hold eyelids apart and flush continuously with running water. Continue flushing until advised to stop by a Poisons Information Centre, a doctor, or for at least 15 minutes.

**First Aid Facilities**

No information provided.

**Indication of immediate medical attention and special treatment needed if necessary**

Treat symptomatically.

**Most important symptoms/effects, acute and delayed**

See Section 11 for more detailed information on health effects and symptoms.

---

**5. FIRE-FIGHTING MEASURES****Suitable Extinguishing Media**

Dry agent, carbon dioxide or foam. Prevent contamination of drains and waterways.

**Specific Hazards Arising From The Chemical**

Highly flammable. May evolve toxic gases (carbon oxides, hydrocarbons) when heated to decomposition. Vapour may form explosive mixtures with air. Eliminate all ignition sources, including cigarettes, open flames, spark producing switches/tools, heaters, pilot lights, mobile phones, etc when handling. Aerosol cans may explode above 50°C.

**Hazchem Code**

2YE

**Decomposition Temperature**

Not available

**Precautions in connection with Fire**

Evacuate area and contact emergency services. Toxic gases may be evolved in a fire situation. Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire. Use waterfog to cool intact containers and nearby storage areas.

**Other Information**

Hazchem code: 2Y

2 Fine Water Spray.

Y Risk of violent reaction or explosion. Wear full fire kit and breathing apparatus. Contain spill and run-off.

---

**6. ACCIDENTAL RELEASE MEASURES****Emergency Procedures**

Wear Personal Protective Equipment (PPE) as detailed in section 8 of the SDS. Clear area of all unprotected personnel. Ventilate area where possible.

**Methods And Materials For Containment And Cleaning Up**

Contain spillage, then cover / absorb spill with non-combustible absorbent material (vermiculite, sand, or similar), collect and place in suitable containers for disposal.

**Environmental Precautions**

Prevent product from entering drains and waterways.

**Other Information**

Reference to other sections:

See Sections 8 and 13 for exposure controls and disposal.

## 7. HANDLING AND STORAGE

---

### Precautions for Safe Handling

Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

### Conditions for safe storage, including any incompatibilities

Store in a cool (< 50°C), dry, well ventilated area, removed from incompatible substances, heat or ignition sources and foodstuffs. Ensure aerosol containers/ cans are adequately labelled, protected from physical damage and sealed when not in use. Check regularly for damaged/ leaking containers. Large storage areas should have appropriate fire protection systems.

### Other Information

Specific end use(s):

No information provided.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

---

### Occupational exposure limit values

Ingredient: Liquefied petroleum gas (LPG)

Reference: SWA (AUS)

TWA: 1000 ppm, 1800 mg/m<sup>3</sup>

STEL: 1000 ppm, 1800 mg/m<sup>3</sup>

Ingredient: Mineral Oil Mist

Reference: SWA (AUS)

TWA: 5 mg/m<sup>3</sup>

### Biological Limit Values

No biological limit values have been entered for this product.

### Appropriate Engineering Controls

Avoid inhalation. Use in well ventilated areas. Where an inhalation risk exists, mechanical explosion proof extraction ventilation is recommended. Flammable vapours may accumulate in poorly ventilated or confined areas. Vapours are heavier than air and may travel some distance to an ignition source and flash back. Maintain vapour levels below the recommended exposure standard.

### Respiratory Protection

At high vapour levels, wear a Type A-Class P1 (Organic gases/vapours and Particulate) respirator.

### Eye Protection

Wear splash-proof goggles.

### Hand Protection

Wear nitrile or neoprene gloves.

### Body Protection

Not required under normal conditions of use.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

---

### Form

Liquid

### Appearance

Amber liquid (aerosol dispensed)

### Odour

Pleasant odour

### Decomposition Temperature

Not available

### Melting Point

Not available

**Boiling Point**

193°C (Initial)

**Solubility in Water**

Insoluble

**Specific Gravity**

0.81

**pH**

Not available

**Vapour Pressure**

0.23 mm Hg

**Vapour Density (Air=1)**

> 1

**Evaporation Rate**

Not available

**Odour Threshold**

Not available

**Viscosity**

Not available

**Volatile Component**

82%

**Partition Coefficient: n-octanol/water**

Not available

**Flash Point**

< 0°C (Propellant)

**Flammability**

Highly flammable

**Auto-Ignition Temperature**

550°C

**Explosion Limit - Upper**

12%

**Explosion Limit - Lower**

1.4 %

**Explosion Properties**

Not available

**Oxidising Properties**

Not available

## 10. STABILITY AND REACTIVITY

---

**Reactivity**

Carefully review all information provided in sections 10.2 to 10.6.

**Chemical Stability**

Stable under recommended conditions of storage.

**Conditions to Avoid**

Avoid heat, sparks, open flames and other ignition sources.

**Incompatible materials**

Incompatible with oxidising agents (e.g. hypochlorites), acids (e.g. nitric acid), alkalis (e.g. sodium hydroxide), heat and ignition sources.

**Hazardous Decomposition Products**

May evolve carbon oxides and hydrocarbons when heated to decomposition.

### **Possibility of hazardous reactions**

Polymerization is not expected to occur.

## **11. TOXICOLOGICAL INFORMATION**

---

### **Toxicology Information**

Toxicity data: No LD50 data available for this product.

### **Ingestion**

May be harmful. Ingestion may result in nausea, vomiting, abdominal pain and drowsiness with large quantities. Aspiration or inhalation may cause chemical pneumonitis and pulmonary oedema. Ingestion is considered unlikely due to product form.

### **Inhalation**

Irritant. Over exposure may result in irritation of the nose and throat, coughing and headache. High level exposure may result in nausea, dizziness and drowsiness.

### **Skin**

Irritant. Contact may result in drying and defatting of the skin, rash and dermatitis.

### **Eye**

Irritant. Contact may result in irritation, lacrimation, pain and redness.

### **Health Hazard**

May be harmful - irritant. This product may only have the potential to cause adverse health effects if intentionally misused (e.g. deliberately inhaling contents). Use safe work practices to avoid eye or skin contact and vapour generation - inhalation. Over exposure may result in central nervous system (CNS) effects.

## **12. ECOLOGICAL INFORMATION**

---

### **Ecotoxicity**

No information provided.

### **Persistence and degradability**

No information provided.

### **Mobility**

Mobility in soil: No information provided.

### **Bioaccumulative Potential**

No information provided.

### **Other Adverse Effects**

No information provided.

## **13. DISPOSAL CONSIDERATIONS**

---

### **Waste Disposal**

For small amounts, absorb contents with sand or similar and dispose of to an approved landfill site. Do not puncture or incinerate aerosol cans. Contact the manufacturer/supplier for additional information (if required).

### **Local Legislation**

Dispose of in accordance with relevant local legislation.

## **14. TRANSPORT INFORMATION**

---

### **U.N. Number**

1950

### **UN proper shipping name**

AEROSOLS

### **Transport hazard class(es)**

2.1

**Hazchem Code**

2YE

**Special Precautions for User**

Hazchem code: 2Y

GTEPG: 2D1

EMS: F-D, S-U

**IERG Number**

49

**Environmental Hazards**

No information provided

**Other Information**

CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE

**LAND TRANSPORT (ADG):**

UN Number: 1950

Proper Shipping Name: AEROSOLS

Transport hazard class: 2.1

Packing Group: None Allocated

**SEA TRANSPORT (IMDG / IMO):**

UN Number: 1950

Proper Shipping Name: AEROSOLS

Transport hazard class: 2.1

Packing Group: None Allocated

**AIR TRANSPORT (IATA / ICAO):**

UN Number: 1950

Proper Shipping Name: AEROSOLS

Transport hazard class: 2.1

Packing Group: None Allocated

## 15. REGULATORY INFORMATION

---

**Regulatory information**

Safety, health and environmental regulations/legislation specific for the substance or mixture:

Poison schedule: A poison schedule number has not been allocated to this product using the criteria in the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

**Classifications:**

Safework Australia criteria is based on the Globally Harmonised System (GHS) of Classification and Labelling of Chemicals.

The classifications and phrases listed below are based on the Approved Criteria for Classifying Hazardous Substances [NOHSC; 1008(2004)].

**Hazard codes:**

F+ Extremely flammable

Xn Harmful

**Risk phrases:**

R12 Extremely Flammable.

R67 Vapours may cause drowsiness and dizziness.

**Safety phrases:**

S16 Keep away from sources of ignition - No smoking.

S23 Do not breathe gas/fumes/vapour/spray (where applicable).

S24 Avoid contact with skin.

S45 In case of accident or if you feel unwell seek medical advice immediately (show the label where possible).

S53 Avoid exposure - obtain special instructions before use.

S62 If swallowed, do not induce vomiting; seek medical advice immediately and show this container or label.

**Poisons Schedule**

Not Scheduled

**Australia (AICS)**

All components are listed on AICS, or are exempt.

**16. OTHER INFORMATION**

---

**Signature of Preparer/Data Service**

Prepared by:

Risk Management Technologies

5 Ventnor Ave, West Perth

Western Australia 6005

Phone; +61 8 9322 1711

Fax; +61 8 9322 1794

Email; info@rmt.com.au

Web; www.rmt.com.au.

**Revisions Highlighted**

Revision: 2.0

Description: GHS classifications provided.

Revision: 1.0

Description: Initial SDS creation



## Other Information

AEROSOL CANS may explode at temperatures approaching 50°C.

**RESPIRATORS:** In general the use of respirators should be limited and engineering controls employed to avoid exposure. If respiratory equipment must be worn ensure correct respirator selection and training is undertaken. Remember that some respirators may be extremely uncomfortable when used for long periods. The use of air powered or air supplied respirators should be considered where prolonged or repeated use is necessary.

### PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

### HEALTH EFFECTS FROM EXPOSURE:

It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a ChemAlert report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

### Abbreviations:

ACGIH: American Conference of Governmental Industrial Hygienists

CAS#: Chemical Abstract Service number - used to uniquely identify chemical compounds

CNS: Central Nervous System

EC No.: EC No - European Community Number

EMS: Emergency Schedules (Emergency Procedures for Ships Carrying Dangerous Goods)

GHS: Globally Harmonized System

GTEPG: Group Text Emergency Procedure Guide

IARC: International Agency for Research on Cancer

LC50: Lethal Concentration, 50% / Median Lethal Concentration

LD50: Lethal Dose, 50% / Median Lethal Dose

mg/m<sup>3</sup>: Milligrams per Cubic Metre

OEL: Occupational Exposure Limit

pH: relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly alkaline).

ppm: Parts Per Million

STEL: Short-Term Exposure Limit

STOT-RE: Specific target organ toxicity (repeated exposure)

STOT-SE: Specific target organ toxicity (single exposure)

SUSMP: Standard for the Uniform Scheduling of Medicines and Poisons

SWA: Safe Work Australia

TLV: Threshold Limit Value

TWA Time Weighted Average

This SDS has been transcribed into Infosafe GHS format from an original, issued by the manufacturer on the date shown. Any disclaimer by the manufacturer may not be included in the transcription.

## END OF SDS

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

The compilation of SDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any SDS displayed is permitted for personal use only and otherwise is not permitted. In particular the SDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of SDS without the express written consent of Chemical Safety International Pty Ltd.